

Lost Plantation Golf Course Specifications

	1200A Bunker & Field Rake (or Comparable Make and Model)
ENGINE	
Type	4-cycle, air cooled
Displacement	401 cc
Horsepower	At 3600 rpm: 13.5 hp Engine manufacturer gross power tested in accordance with SAE J1995. The engine hp and torque information are provided by the engine manufacturer for comparison purposes only. Actual operating hp and torque will be less. Refer to the engine manufacturer's website for additional information.
Compression ratio	8:4:1
Lubrication	Full-pressure
Oil capacity	1.3 L1.4 U.S. qt
Oil filter	Standard
Spark arrester muffler	Standard
Idle speed	Low speed: 1,175 (+/- 75) rpmfast speed: 3,100 (+/- 75) rpm
ELECTRICAL SYSTEM	
Type	12 Vregulated: 13 amp
Battery	12 V38 hour amp
Starter	Electric
Ignition	Transistor-type
Light kit	Available
FUEL SYSTEM	
Tank capacity	13.6 L3.6 U.S. gal.
Fuel pump	Diaphragm-type
Fuel required	Regular leaded or unleaded gasoline
TRANSMISSION	
Type	Belt-driven torque converter with Kanzaki gear driven transaxle
Fluid capacity	2.3 L2.5 U.S. qt
TRAVEL SPEED	
Forward or reverse	Variable: 0-20.3 km/h0-12.6 mph
BRAKES	

Lost Plantation Golf Course Specifications

Type	Mechanically operated disc with parking brake
STEERING	
Type	8:3:1 reduction ratiosteering wheel: 35.6 cm14 in.
TIRES	
Front	One 22.5x10-8, 2 PR high-flotation
Rear	Two 25x12-9, 2 PR high-flotation
DIMENSIONS	
Width	1473 mm58 in.
Height	1041 mm41 in.
Length	1676 mm66 in.
Wheelbase	1054 mm41.5 in.
Ground clearance @ rake attachment	241 mm9.5 in.
Turning radius	305 mm12 in.
Weight (approx.)	263 kg580 lb
Rear-hitch towing capacity	227 kg500 lb
ATTACHMENTS	
	Width 1981 mm 78 in.Weight 20 kg 44 lbBlades Five-section, bunker or fieldProng rake Three section, 24 prongs, adjustment: 25-76 mm 1-3 in.
Rake	Rear mount, powerlift control
	Width 1626 mm 64 in.Weight 20 kg 44 lb
Cultivator	10 blades, hand control w/ 5-position depth adjustment

**Lost Plantation Golf Course
Specifications**

Front blade	Width 1016 mm 40 in.Height 152 mm 6 in.Weight 21 kg 46 lb Optional, hand control with lock-up position
60-in. aluminum front blade	Width 1524 mm 60 in.Height 263 mm 10.25 in.Weight 3.7 kg 8 lb
Articulating front-mount core-removal blade	Width 1231 mm 48 in.Height 237 mm 9.25 in.Weight 10.9 kg 24 lb Optional, hand control with lock-up position

Lost Plantation Golf Course Specifications

Wide- and narrow-interval scarifier tines attachment	<p>Width Wide - 1606 mm 63.25 in. Narrow: 1574.8 mm 62Tines Wide - 20 tines, length: 89 mm 3.5 in. Narrow - 35 tines, length: 89 mm 3.5</p>
Mid-mount 64.5-in. (164.9 mm) scraper blade attachment	<p>Width 1649 mm 64.5 in.Height 144 mm 5.625 in.Weight 9.5 kg 21 lb</p>
Rear-mounted 60-in. field finisher	<p>Width 1538 mm 60 in.Length 355.6 mm 14 in.Weight 19.5 kg 45 lb</p>
Hydraulic pump package	<p>Couplers Two female, comply with ANSI ASAE S418 standardActivation SwitchWeight 5.2 kg 11.5 lb</p>